Stripe API Keys

To allow Imagatec to integrate with Stripe, the following API keys need to be emailed through to Imagatec Helpdesk Support at help@imagatec.com.au

- Live Publishable key (ie. pk_live_...)
- Live Secret key (ie. sk_live_...)

The API keys above are required for Stripe to authenticate Imagatec's API requests, allowing successful Stripe integration. Without them, Stripe integration cannot be enabled.

Obtaining your Stripe API Keys

- 1. Open the Stripe Development Dashboard in your web browser: https://dashboard.stripe.com/login
- 2. Enter your Stripe Account email and password and click continue:

| Sign in to your a | account |
|-------------------------|-----------------------|
| Email | |
| | |
| Password | Forgot your password? |
| | |
| Stay signed in for a we | eek |
| | |
| | Continue |

3. If two-step authentication has been enabled, enter the 6-digit verification code that is sent to your mobile phone and click continue:

Last update: 2025/07/14 customer_portal:integration:stripe:stripeapikeys https://wiki.imagatec.com.au/doku.php?id=customer_portal:integration:stripe:stripeapikeys 14:48

| stripe | |
|---|--|
| Two-step authentication To continue, please enter the 6-digit verification code sent to your phone ending in 4626. Didn't receive a code? Resend . | |
| | |
| Continue | |
| Sign in another way | |
| | |

4. Check the box for "Im not a robot"

| | his helps prevent robots | | |
|---|--------------------------|----------------------|--|
| n | nachines) from accessing | your scripe account. | |
| | I'm not a robot | 2 | |
| | | reCAPTCHA | |

5. Select the images that have been requested and click verify (eg. if asked for "mountains or hills" select all the images with mountains or hills in them):



Note: if you make a mistake, you'll be shown new images and asked to select images again.

6. The API Keys page will load by default:

Last update: 2025/07/14 customer_portal:integration:stripe:stripeapikeys https://wiki.imagatec.com.au/doku.php?id=customer_portal:integration:stripe:stripeapikeys 14:48



7. If the "Viewing test data" option is enabled, only the "test" keys will be displayed (ie. pk_test_...):

| Home Payments Ba | lances Customers | Products Billin | | Connect | More 🗸 | | Devel | opers 🗨 |
|----------------------|---------------------------------------|---|----------------|-------------------|---------------|--------------|--------------------|------------|
| evelopers | A DI kova | | TEST D | | | | e about API authen | |
| Overview | API keys | | | | | Learn mor | e about API authen | tication → |
| API keys Webhooks | Viewing test AF | PI keys. Toggle to vie | ew live keys. | | | | Viewing | test data |
| Events Logs | Standard key These keys will allow | ' S w you to authenticat | e API requests | . Learn more | | | | |
| Apps | NAME | TOKEN | | LAST USED CREATED | | | | |
| | Publishable key | pk_test_ | | | | - | 23 Dec 2022 | |
| | Secret key | Rev | eal test key | | | - | 23 Dec 2022 | |
| | Restricted ke | eys | | | | | | |
| | For greater security | you can create rest our account data. Le | | that limit ac | cess and pern | nissions for | + Create restri | icted key |
| | NAME | | | | | TOKEN | LAST USED | CREATED |
| | No restricted keys | | | | | | | |

8. Clicking the "Viewing test data" toggle button will switch to live data and display the "live" keys (ie. pk_live_...):

Last update: 2025/07/14 14:48

| | ~ | Q Search | | | Create V | 🕐 🔞 Help 🗍 | ¢ 2 |
|----------------------------------|----------------------------------|--|--|----------------------|---------------|-----------------|------------------------|
| Home Payments | Balances Customer | s Products Billing | Reports Connect | More 🗸 | | Devel | opers 🔘 |
| Developers | API keys | 5 | | | Learn more al | bout API authen | tication \rightarrow |
| Overview API keys Webhooks | O Viewing live | API keys. Toggle to view | v test keys. | | | O View | test data |
| Events Logs | Standard ko These keys will a | Eys llow you to authenticate | e | + Create secret key | | | |
| Apps | NAME | TOKEN | | LAST | USED | CREATED | |
| | Publishable key | pk_live_ | | 10 J | an 🛙 | 23 Dec 2022 | |
| | Secret key | Revea | l live key | - | | 23 Dec 2022 | |
| | - | - | icted API keys that limit a rn more | access and permissio | ns for | + Create restr | icted key |
| | NAME | | | | TOKEN | LAST USED | CREATED |
| | No restricted key | rs. | | | | | |

9. Click the token text to the right of the "Publishable Key" name to copy the "Publishable Key" text to your clipboard:

| | ~ | Q Search | | Create | ✓ 😧 Help 🗳 🌣 💄 |
|-------------------------------|---------------------------------------|---|----------------------|--------------------------|----------------------------|
| Home Payments | Balances Customers | Products Billing R | Reports Connect | More 🗸 | Developers 🕕 |
| Developers Overview | API keys | I keys. Toggle to view test | t kaue | Learn more a | about API authentication → |
| API keys Webhooks | U Viewing live AP | rkeys. roggie to view test | c keys. | | View test data |
| Events Logs | Standard key These keys will allow | S w you to authenticate API i | requests. Learn more | | + Create secret key |
| Apps | NAME | TOKEN | | LAST USED | CREATED |
| | Publishable key | pk_live_ | K | 10. Jan Click to copy | 23 Dec 2022 |
| | Secret key | sk_liveEVqc | Click | - | 23 Dec 2022 |
| | | : ys , you can create restricted our account data. Learn m | | cess and permissions for | + Create restricted key |
| | NAME | | | TOKEN | LAST USED CREATED |
| | No restricted keys | | | | |

7/17

| | ~ | Q. Search | | Create V |) 🚱 Help 🗳 | ð 2 |
|----------------------------------|-------------------------------|--|----------------------|----------------|-----------------|-----------------------|
| Home Payments | Balances Custome | rs Products Billing Rep | oorts Connect More 🗸 | | Develo | opers 🔘 |
| evelopers | API key | S | | Learn more ab | out API authent | ication \rightarrow |
| Overview API keys Webhooks | Viewing live | e API keys. Toggle to view test ke | eys. | | O View | test data |
| Events Logs | Standard H These keys will | (eys allow you to authenticate API req | uests. Learn more | | + Create se | cret key |
| Apps | NAME | TOKEN | | LAST USED | CREATED | |
| | Publishable key | pk_live_ | | • Copied | 23 Dec 2022 | |
| | Secret key | sk_liveEVqc | | - | 23 Dec 2022 | |
| | - | keys urity, you can create restricted AF of your account data. Learn more | | ermissions for | Create restri | cted key |
| | NAME | | | TOKEN | LAST USED | CREATED |
| | No restricted ke | evs. | | | | |

10. Open a text editor on your computer (ie. Notepad) and "paste" the "Publishable Key" text on the first line:

SomeCarWash_Stripe_API_Keys.txt 🛞

pk live abcdefghijklmnopqrstuvwxyz1234567890

11. Save the text file as: YourCompanyName_Stripe_API_Keys.txt

13. Click "Reveal live key" to the right of the "Secret Key" name:

| | , | Q Search | | Create | - 🕜 Help 🗍 | * o 2 | | |
|----------------------------|---|-----------------------------------|---------------------------|--------------|---------------------|-------------------------|--|--|
| Home Payments E | ayments Balances Customers Products Billing Reports Connect I | Connect More V | | Deve | lopers 🔾 | | | |
| Developers | API keys | | | Learn more a | bout API auther | itication \rightarrow | | |
| Overview API keys Webhooks | Viewing live AP | ગ keys. Toggle to view test keys. | | | O Viev | v test data | | |
| Events | - | | . Learn more | | + Create secret key | | | |
| Apps | NAME | TOKEN | | LAST USED | CREATED | | | |
| | Publishable key | pk_live_ | | 10 Jan 🚯 | 23 Dec 2022 | | | |
| | Secret key | Reveal live key | | - | 23 Dec 2022 | | | |
| | | • | | | | | | |
| | | | that limit access and per | missions for | + Create restr | ricted key | | |
| | NAME | | | TOKEN | LAST USED | CREATED | | |
| | No restricted keys | | | | | | | |

14. A pop-up will be displayed to warn you that the "Secret Key" will only be revealed once. Click "Reveal:

| Iome Payments | Balances Customers Products Billing Reports Connect More 🗸 | Developers |
|----------------------|---|--|
| evelopers | API keys Learn | more about API authentication $ ightarrow$ |
| Overview API keys | Viewing live API keys. Toggle to view test keys. | 🕖 View test data |
| Webhooks Events | Standard ke | |
| ogs .pps | These keys will a This key can only be revealed once to keep your account secure. NAME If you lose it, you must roll the key or create another one. | + Create secret key |
| \pps | Publishable key Are you sure you want to reveal your key? | 23 Dec 2022 ···· |
| | Cancel Reveal Secret key | 23 Dec 2022 |
| | Restricted keys For greater security, you can create restricted API keys that limit access and permissions for | + Create restricted key |
| | different areas of your account data. Learn more | |
| | NAME TO No restricted keys | OKEN LAST USED CREATED |
| | No restricted keys | |

Note: Once the "Secret Key" is revealed you must copy and save it, as it cannot be revealed again if you accidentally close the window or forget the "Secret Key" in future.

15. Click the revealed text to copy the "Secret Key" text to your clipboard:



| Reveal live key |
|---|
| Keep your key safe Save and store this new key to a secure place, such as a password manager or secret store. You won't be able to see it again. Learn more about keep Copied |
| Add a note Describe this key and the location where it's stored. 2 Done |

16. Open the previously saved text file (ie. YourCompanyName_Stripe_API_Keys.txt) and "paste" the "Secret Key" text on the second line:



17. Save the changes to the text file (ie. it should now have the "Publishable Key" text on the first line and the "Secret Key" text on the second line)

18. Send an email to Imagatec Helpdesk (help@imagatec.com.au) with the Stripe API keys text file attached and include details of your company and what Stripe integrations your are wanting enabled.

Roll API Key

If you accidentally closed the window that revealed your "Secret Key" or you have lost the text file that contained your Stripe API keys, you will need to "Roll" the API key.

Warning:

• When you "Roll" the API key, the previous "Secret Key" will be disabled and can no longer be

used and a new "Secret Key" will be generated.

• Stripe will not authenticate any services using the previous "Secret Key" and any integrations using them will stop working until the new "Secret Key" that is generated and provided.

1. Click the dots to the right of the "Secret Key":

| | | ~ | | Q Se | arch | | | | Crea | te 🗸 | 🕐 😮 Help | ¢ \$ | • |
|------------------------------|----------|------|------------------|--|-------------|--------------|-----------------|--------------|--------------|--------|--------------|------------|-----|
| Home | Payments | | 0 | | | | | | | | | | |
| Overvie API key Webhoo | W | | - | PI keys. Toggl | e to view | test keys. | | | Learn mo | ire al | | | |
| Events Logs | JKS | | - | | henticate / | API requests | . Learn more | | | | + Create | secret ke | ey. |
| Apps | | NAME | E | S Learn more about API authent eAPI keys. Toggle to view test keys. Image: View of the set of | | | | | | | | | |
| | | Publ | ishable key | pk_live | | | | | 10 Jan | 8 | 23 Dec 2022 | | |
| | | Secr | et key | sk_live | | \sim | | | - | | 23 Dec 2022 | | •• |
| | | De | | | | | | | | | Click | | |
| | | For | greater security | , you can cre | | | ; that limit ac | cess and per | missions for | | + Create res | tricted ke | y |
| | | NAME | E | | | | | | ток | EN | LAST USED | CREATED |) |
| | | Nor | estricted keys | | | | | | | | | | |

2. Click "Roll key..." from the drop-down options:

| | | ~ | | Q Se | arch | | | | Creal | te 🗸 | 🕜 Help | Ļ | ≎ |
|---|----------|--|--|---------------|------------|------------|---------------|---------------|--------------|---------------------|-----------------------------------|------------------|--------|
| lome | Payments | Balances | Customers | Products | Billing | Reports | Connect | More 🗸 | | | De | evelope | rs |
| evelope | | A | PI keys | | | | | | Learn mo | re abou | ıt API auti | hentical | tion – |
| Overview A <mark>PI keys</mark> Vebhook | | 0 | /iewing live AP | l keys. Togg | le to view | test keys. | | | | | v | iew tesl | t data |
| events .ogs | | Standard keys These keys will allow you to authenticate API requests. Learn more | | | | | | | | + Create secret key | | | |
| \pps | | NAM | | TOKEN | | | | | LAST USED | CF | REATED | | |
| | | Publ | ishable key | pk_live | | | | | 10 Jan | () 23 | 3 Dec 2022 | 2 | |
| | | Secr | et key | sk_live | | | | | - | 23 | 3 Dec 2022 | 2 | |
| ogs | | For | stricted ke greater security erent areas of ye | , you can cre | | | that limit ad | ccess and per | missions for | - | Roll key Edit key View requ | Clin est logs | |
| | | NAM | E | | | | | | ток | EN L | LAST USED | CREA | TED |
| | | Nor | estricted keys | | | | | | | | | | |

3. Set the "Expiration" to "now, enter your Stripe account password, and click "Roll API key":

| Roll API ke | y |
|-----------------------|---|
| recomme related to | ill block this API key and generate a new one. We end reviewing your security history for events this key. Any webhook endpoints created with vill stay active, even after the key is rolled. |
| Key | sk_liveEVqc View logs → |
| Last used | Never Set to "now" |
| Expiration | now 🔷 |
| | Expiry may take a couple of minutes. Once this key expires, you can't perform any actions with it. |
| | uthentication required please enter your password. |
| Email | |
| manoj@tru | stdeed.com.au |
| Ente Password | r your password |
| Click to | "Roll API key" Roll API key |

4. If two-step authentication has been enabled, enter the 6-digit verification code that is sent to your mobile phone and click continue:

Last update: 2025/07/14 customer_portal:integration:stripe:stripeapikeys https://wiki.imagatec.com.au/doku.php?id=customer_portal:integration:stripe:stripeapikeys 14:48

| C | | | |
|---|----|--------|--|
| | | | |
| _ | | | |
| | Co | ntinue | |

5. Click the revealed text to copy the "Secret Key" text to your clipboard and click done to close the pop-up window:

| Your new API key |
|---|
| Keep your key safe |
| Save and store this new key to a secure place, such as a password manager or secret store. You won't be able to see it again. |
| Learn more about keepir |
| sk_live_ |
| Add a note |
| Describe this key and the location where it's stored. |
| 2. Click to close> Done |

6. Open a text editor on your computer (ie. Notepad) and "paste" the "Secret Key" text on the second line:

| SomeCarWas | h_Stripe | e_API_Ke | ys.txt 🗵 |
|------------|----------|----------|----------|
| | | | |

```
sk_live_1234567890abcdefghijklmnopqrstuvwxyz
```

7. Save the text file as: YourCompanyName_Stripe_API_Keys.txt

8. Click the token text to the right of the "Publishable Key" name to copy the "Publishable Key" text to your clipboard:

| | ~ | Q. Search | | Create | 🗸 🕜 Help 🙎 🕴 | ۵ 🕹 |
|--|--------------------------------------|--|----------------------------|-------------------------|------------------------|-------|
| Home Payments | Balances Customers | Products Billing Repor | rts Connect More | ~ | Developer | rs 🕕 |
| Developers Overview API keys Webhooks | API keys Viewing live AF | PI keys. Toggle to view test key: | S. | Learn more a | about API authenticati | |
| Events Logs | Standard key These keys will allo | 'S w you to authenticate API reque | ests. Learn more | | + Create secret | t key |
| Apps | NAME | TOKEN | | LAST USED | CREATED | |
| | Publishable key | pk_live_ | K | 10 Jan Click to copy | 23 Dec 2022 | |
| | Secret key | sk_liveEVqc | Click | - | 23 Dec 2022 | |
| | | | | | | |
| | | eys /, you can create restricted API I our account data. Learn more | keys that limit access and | permissions for | + Create restricted | key |
| | NAME | | | TOKEN | LAST USED CREAT | TED |
| | No restricted keys | | | | | |

| | ~ | Q Search | | Create V |) 🕲 Help 🗳 🏩 |
|--|------------------------------------|---|----------------------------------|---------------|--------------------------|
| Home Payments | Balances Customers | Products Billing Report | s Connect More 🗸 | | Developers |
| Developers Overview API keys Webhooks | API keys Uiewing live A | PI keys. Toggle to view test keys. | | Learn more ab | Out API authentication → |
| Events | Standard ke These keys will all | ys ow you to authenticate API reque: | sts. Learn more | | + Create secret key |
| Apps | NAME | TOKEN | ι | LAST USED | CREATED |
| | Publishable key | pk_live_ | | Copied | 23 Dec 2022 |
| | Secret key | sk_liveEVqc | - | - | 23 Dec 2022 |
| | | eys ty, you can create restricted API ke your account data. Learn more | eys that limit access and permis | ssions for | + Create restricted key |
| | NAME | | | TOKEN | LAST USED CREATED |
| | No restricted keys | | | | |

9. Open the previously saved text file (ie. YourCompanyName_Stripe_API_Keys.txt) and "paste" the "Publishable Key" text on the first line:

| SomeCar\ | Wash_Stripe_API_Keys.txt | \otimes |
|----------|--------------------------|-------------------|
| | abcdefghijklmnopqrst | |
| sk live | 1234567890abcdefghij | jklmnopgrstuvwxyz |

10. Save the changes to the text file (ie. it should now have the "Publishable Key" text on the first line and the "Secret Key" text on the second line)

11. As the "Secret Key" has been changed, you will need to send an email to Imagatec Helpdesk (help@imagatec.com.au) with the new Stripe API keys text file attached and include details of your company and what Stripe integrations were being used.

12. If you have not received a reply to your email from Imagatec Helpdesk within 24 hours, please call Helpdesk on 1300 365 443 to ensure the email has been received and logged.

From: https://wiki.imagatec.com.au/ - Imagatec Wiki

Permanent link: https://wiki.imagatec.com.au/doku.php?id=customer_portal:integration:st ripe:stripeapikeys



Last update: 2025/07/14 14:48